

## Flyscreen

SECTION NUMBER	MASS kg/m	OUTSIDE PERIM	LENGTH
7675	0.900	334.00	5.00
9775	0.494	150.10	6.00
9775	0.494	150.10	3.00
30957	0.302	117.77	5.00
31017	0.170	98.88	5.00
31018	0.139	81.16	5.00
J030	0.496	199.00	5.00
J031	0.191	94.00	5.00
J032	0.234	118.00	5.00
J058	0.232	94.71	5.00
X075	0.162	98.63	5.00
X076	0.119	79.33	5.00
X389	0.139	71.64	4.00
31966	0.515	156.98	3.00
32605	0.540	262.43	3.00
34918	0.325	143.76	5.00


CORNER STAKES	SUITS SECTION
J688E	9775
X429E	J058, 30957

FLYSCREEN FIBREGLASS MESH	SIZE
662109	76cm x 50m
662110	83cm x 50m
662118	91cm x 30.48m
660014	122cm x 30.48m


Flyscreen fibreglass mesh is sold in rolls only

For NZ based customers. All lengths are stocked in 6060 T5 - mill finish - 5m lengths (unless specified)  
All peripheries less than 100mm are deemed 100mm for surface finish purpose


# Flyscreen




SECTION No. 9775  
ACCEPTS STAKING ANGLE J688E  
0.494 kg/m  
P = 150.10




SECTION No. J030  
0.496 kg/m  
P = 199




SECTION No. J058  
ACCEPTS STAKING ANGLE X429E  
0.232 kg/m  
P = 94.71




SECTION No. J032  
0.234 kg/m  
P = 118




SECTION No. J031  
0.191 kg/m  
P = 94




SECTION No. 31966  
ACCEPTS STAKING ANGLE J688E  
0.515 kg/m  
P = 156.98



SECTION No. X076  
0.119 kg/m  
P = 79.33




SECTION No. X075  
0.162 kg/m  
P = 98.63




SECTION No. X389  
0.139 kg/m  
P = 71.64

For NZ based customers. All lengths are stocked in 6060 T5 - mill finish - 5m lengths (unless specified)  
All peripheries less than 100mm are deemed 100mm for surface finish purpose


# Flyscreen




SECTION No. 31018  
0.139 kg/m  
P = 81.16




SECTION No. 31017  
0.170 kg/m  
P = 98.88




SECTION No. 30957  
ACCEPTS STAKING ANGLE X429E  
0.302 kg/m  
P = 117.77



SECTION No. 34918  
ACCEPTS STAKING ANGLE X429E  
0.325 kg/m  
P = 143.76



SECTION No. 32605  
0.540 kg/m  
P = 262.43



SECTION No. 7675  
0.900 kg/m  
P = 334

For NZ based customers. All lengths are stocked in 6060 T5 - mill finish - 5m lengths (unless specified)  
All peripheries less than 100mm are deemed 100mm for surface finish purpose