





McKechnie®  
Transforming Aluminium


## Coolstore and Annexes Group 2.2.1




SECTION No. 8570  
0.501 kg/m  
P = 226.56



SECTION No. 9590  
0.534 kg/m  
P = 244



SECTION No. 7791  
0.762 kg/m  
P = 302.27







SECTION No. 7794  
0.777 kg/m  
P = 360.28




McKechnie®  
Transforming Aluminium


# Coolstore and Annexes Group 2.2.2




# Coolstore and Annexes Group 2.2.3




SECTION No. 6331  
0.611 kg/m  
P = 304.95




SECTION No. 9728  
0.498 kg/m  
P = 224.40




SECTION No. 7709  
0.208 kg/m  
P = 139.80



SECTION No. 8956  
0.301 kg/m  
P = 144.49




SECTION No. 8957  
0.643 kg/m  
P = 266




SECTION No. 34438  
0.731 kg/m  
P = 196.64




# Coolstore and Annexes Group 2.2.4




SECTION No. 8174  
0.831 kg/m  
P = 260.61



SECTION No. 7789  
0.360 kg/m  
P = 118.32








SECTION No. 7360  
0.463 kg/m  
P = 182.84



SECTION No. 8960  
1.644 kg/m  
P = 301.98






# Coolstore and Annexes Group 2.2.5










# Coolstore and Annexes Group 2.2.6



## Coolstore and Annexes Group 2.2.7




\* SOME SPECIAL TOLERANCES APPLY




McKechnie®  
Transforming Aluminium

## Coolstore and Annexes Group 2.2.8



SECTION No. Z381\*  
0.769 kg/m  
P = 279.34




SECTION No. Z377  
0.672 kg/m  
P = 315.32

\* SOME SPECIAL TOLERANCES APPLY





# Coolstore and Annexes Group 2.2.9





SECTION No. Z382  
1.326 kg/m  
P = 428.12






McKechnie®  
Transforming Aluminium

# Coolstore and Annexes Group 2.2.10




## Coolstore and Annexes Group 2.2.11






McKechnie®  
Transforming Aluminium


## Coolstore and Annexes Group 2.2.12



SECTION No. 35394  
0.326 kg/m  
P = 199.89



SECTION No. 35392  
0.610 kg/m  
P = 301.49



SECTION No. 35393  
0.712 kg/m  
P = 351.49