




Trims and Mouldings Group 3.5.1




SECTION No. 1245
0.364 kg/m
P = 97




SECTION No. 9051
2 x ACTUAL SIZE
0.102 kg/m
P = 54




SECTION No. 2304
0.423 kg/m
P = 124



SECTION No. G338*
0.201 kg/m
P = 121.67



SECTION No. 7587
0.433 kg/m
P = 229




SECTION No. 37028
0.178 kg/m
P = 73.52




McKechnie®
Transforming Aluminium


Trims and Mouldings Group 3.5.2




SECTION No. 0330
0.342 kg/m
P = 88




SECTION No. 0327
0.199 kg/m
P = 70




SECTION No. 2024
0.192 kg/m
P = 60.35




SECTION No. 3015
0.270 kg/m
P = 104




SECTION No. 8966
0.143 kg/m
P = 47.70




SECTION No. 7106
0.119 kg/m
P = 64.10




SECTION No. K731
0.292 kg/m
P = 70.90




SECTION No. K732
0.132 kg/m
P = 68.80



SECTION No. 1100
0.124 kg/m
P = 50



SECTION No. 2049
0.267 kg/m
P = 97




SECTION No. J059
0.157 kg/m
P = 82.90



McKechnie®
Transforming Aluminium

Trims and Mouldings Group 3.5.3



Trims and Mouldings Group 3.5.3

* SOME SPECIAL TOLERANCES APPLY