

Security & Grille

SECTION NUMBER	MASS kg/m	OUTSIDE PERIM	LENGTH
5663	0.351	143.50	5.00
5979	0.194	92.80	5.00
6136+	0.150	72.23	5.00
6179	0.462	200.42	5.00
33627	0.483	217.96	4.60
33628	0.936	295.94	4.60
33629	0.483	217.75	4.60
33630+	1.200	369.10	6.00
34689	1.521	453.62	4.60
38959#	0.115	100.00	5.00
36405	0.154	87.09	3.00
G253	0.50	194.49	5.00
J007D+	1.022	320.58	5.00
K805	0.116	62.50	5.00
Z340+	0.751	240.51	6.00
Z785+	0.748	240.25	5.00
Z785G	PUNCHED	RIGHT	3.00
Z785H	PUNCHED	LEFT	3.00

+ Also available in 3.0m lengths

Available in powder coat matt black only


Hardware

ITEM NUMBER	DESCRIPTION
660000	DOOR HANDLE - WHITE
660001	DOOR HANDLE - BLACK
660002	5 PIN CYLINDER
660003	3 POINT LOCK KIT
660004	75mm DOOR HINGE - WHITE
660005	75mm DOOR HINGE - BLACK
660006	LEICHHARDT SLIDING DOOR LOCK
660007	WHEELS FOR SECURITY DOOR
660010	PATIO BOLT
661007	UBE LOCK
662107	WHEELS FOR 9775 FLYSCREEN DOOR


"007" STYLE SIZES	WAREHOUSE	
	NEW PLYMOUTH	CHRISTCHURCH
2000mm x 750mm	✓	✓
4000mm x 750mm	✓	✓
2000mm x 920mm	✓	✓
2455mm x 1200mm	✓	
2000mm x 1250mm	✓	✓
4000mm x 1250mm	✓	✓

CORNER STAKES	FITS SECTION
6868K	Z785
6868E	Z340
X124G	5663

DETAIL 'A'




"007"
STYLE MESH




For NZ based customers. All lengths are stocked in 6060 T5 - mill finish - 5m lengths (unless specified)
All peripheries less than 100mm are deemed 100mm for surface finish purpose


Security & Grille




SECTION No. 7084
0.205 kg/m
P = 104




SECTION No. K805
0.116 kg/m
P = 62.50




SECTION No. 33627
0.483 kg/m
P = 217.96
LENGTH = 4.6m



SECTION No. 33628
0.936 kg/m
P = 295.94
LENGTH = 4.6m




SECTION No. 33629
0.483 kg/m
P = 217.75
LENGTH = 4.6m




SECTION No. 34689
1.521 kg/m
P = 453.62
LENGTH = 4.6m

For NZ based customers. All lengths are stocked in 6060 T5 - mill finish - 5m lengths (unless specified)
All peripheries less than 100mm are deemed 100mm for surface finish purpose


Security & Grille



SECTION No. Z340
ACCEPTS STAKING ANGLE 6868E
0.751 kg/m
P = 240.51




SECTION No. Z785
ACCEPTS STAKING ANGLE 6868K
0.748 kg/m
P = 240.25




SECTION No. 6868
4.730 kg/m
P = 489.18

For NZ based customers. All lengths are stocked in 6060 T5 - mill finish - 5m lengths (unless specified)
All peripheries less than 100mm are deemed 100mm for surface finish purpose


Security & Grille




SECTION No. 6136
0.150 kg/m
P = 72.23




SECTION No. 38959
0.115 kg/m
P = 100




SECTION No. 36405
0.154 kg/m
P = 87.09



SECTION No. J007D
1.022 kg/m
P = 320.58





SECTION No. 5979
0.194 kg/m
P = 92.80




SECTION No. 33630
1.200 kg/m
P = 369.10

For NZ based customers. All lengths are stocked in 6060 T5 - mill finish - 5m lengths (unless specified)
All peripheries less than 100mm are deemed 100mm for surface finish purpose


Security & Grille



SECTION No. 5663
ACCEPTS STAKING ANGLE X124G
0.351 kg/m
P = 143.50



SECTION No. 6179
0.462 kg/m
Ext. P = 200.42



SECTION No. G253
0.500 kg/m
P = 194.49

For NZ based customers. All lengths are stocked in 6060 T5 - mill finish - 5m lengths (unless specified)
All peripheries less than 100mm are deemed 100mm for surface finish purpose